Please type a plus sign (+) inside this box der the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PTO/SB/122 (10-00) Approved for use through 10/31/2002. OMB 0651-0035 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

CHANGE OF CORRESPONDENCE ADDRESS Application

Address to: **Assistant Commissioner for Patents** Washington, D.C. 20231

Application Number	09/620,331
Filing Date	07/20/2000
First Named Inventor	Gamble, Kimberly R.
Group Art Unit	1743
Examiner Name	Snay, Jeffery R.
Attorney Docket Number	ML-02C

Please change the Correto: Customer Nu	espondence Address for the above-ide umber	entified ap	Place Customer Number Bar Code Label here
Firm <i>or</i> Individual Name			
Address	Kimberly Gamble		
Address	Microliter Analytical Supplies, Inc., 3680 Burnette Park Dr., Suite C		
City	Suwanee State GA ZIP 30024		
Country	USA		I
Telephone	888 232-7840	Fax	888 232-7845
This form cannot be used to change the data associated with a Customer Number. To change the data associated with an existing Customer Number use "Request for Customer Number Data Change" (PTO/SB/124). I am the: Applicant/Inventor. Assignee of record of the entire interest. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96). X Attorney or Agent of record. Registered practitioner named in the application transmittal letter in an application without an executed oath or declaration. See 37 CFR 1.33(a)(1). Registration Number			
Typed or Printed Name Kenneth S. Watkins, Jr.			
Signature Unity Walle			
Date Compared to the inventors of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*. *Total of 1 forms are submitted.			